



FRONT VIEW

SIDE VIEW

- ① STRONG BOX MODEL #SB-24SS STAINLESS STEEL ENCLOSURE WITH PED-24SS STAINLESS STEEL RISER, OR APPROVED EQUALS
- ② #CH751 RAIN BIRD KEY CORE
- ③ STRONG BOX MODEL #QP-24 ENCLOSURE MOUNTING PAD WITH SUPPORT BASE, OR APPROVED EQUAL
- ④ FINISHED GRADE TO BE 1", OR SPECIFIED DEPTH OF MULCH PLUS 1", BELOW TOP OF MOUNTING PAD, TYP.
- ⑤ COMPACTED NATIVE SOIL
- ⑥ 3/8" GRAVEL BACKFILL FOR DRAINS PER WSDOT 9-03.12(4)
- ⑦ CONDUIT AND WIRE FROM SERVICE PEDESTAL
- ⑧ 2" CONDUIT FOR COMMUNICATION AND VALVE WIRE FEED INTO CONTROL PANEL
- ⑨ DIRECT BURIAL COMMUNICATION AND VALVE WIRES
- ⑩ CONTROL PANEL PER SPECIFICATIONS
- ⑪ PROVIDE 48" MIN. COILED SLACK FOR ALL COMMUNICATION AND VALVE WIRES WITHIN RISER
- ⑫ SKYLINE SERIES #65348 "TINY SERVICE CABINET" AND FOUNDATION PER CITY OF BELLEVUE TRANSPORTATION STANDARDS SL-221-1 AND SL-212-1
- ⑬ CONDUIT AND WIRE FROM POWER SOURCE (LOAD)
- ⑭ PAD LOCK TO BE PLACED ON SERVICE CABINET BY PUGET SOUND ENERGY AFTER METER HAS BEEN INSTALLED AND CHARGED
- ⑮ CONTRACTOR SHALL PROVIDE ALL CONDUIT, WIRES, POLE MOUNTING BRACKETS, WEATHERHEADS AND ALL OTHER MISC. EQUIPMENT REQUIRED FOR PUGET SOUND ENERGY TO CONNECT CABINET TO POWER SOURCE (LOAD) AND CHARGE METER



City of  
Bellevue

TITLE:

**IRRIGATION - CONTROL PEDESTAL - SINGLE SIDED  
WITH POWER SERVICE PEDESTAL**

DRAWING #:	PK-IR-16B
SCALE:	N.T.S.
REVISION DATE:	03-2023
DEPARTMENT:	PARKS